

To: [redacted] [redacted] [redacted]
Cc: [redacted]
From: [redacted]
Sent: Mon 9/12/2022 11:38:28 PM (UTC)
Subject: Re: CT9492/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R36248/ RAS Case Number 50333

Good evening Christine,

The original case numbers were RAS 50263 (for metals) and DAS R36218 (for trace VOCs). A new ARF had to be submitted for the 1 sampling location. The sample quantities reflected in this new ARF were requested by [redacted] (as explained in his email).

Nonresponsive based on revised scope

This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.

From: Wagner, Christine <Wagner.Christine@epa.gov>
Sent: Monday, September 12, 2022 7:30 PM
To: [redacted]@tetrattech.com>; [redacted]@tetrattech.com>
Cc: [redacted]@epa.gov>
Subject: FW: CT9492/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R36248/ RAS Case Number 50333

CAUTION: This email originated from an external sender. Verify the source before opening links or attachments.

Good Evening [redacted]

Can you please look into this? There is only 1 additional sample location. I do not have the original case number. [redacted], can you please find it?

This location will be sampled for trace VOCs and metals (no Hg). It looks like this request is for 4 samples. We took the duplicate in the first set. I do not know if we need to take additional samples for this event, but the request is for 4 samples

Please look into this and get back to me and [redacted]

Thank you
Chris

Christine Wagner
Federal On-Scene Coordinator
EPA Region III
804-337-3049

From: [redacted]@epa.gov>
Sent: Monday, September 12, 2022 4:55 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Cc: [redacted]@tetrattech.com>; [redacted]@tetrattech.com>; Gardner, Amber <Gardner.Amber@epa.gov>; Elliott, Jennifer <Elliott.Jennifer@epa.gov>; [redacted]@epa.gov>; [redacted]@epa.gov>; Schafer, Xavier <Schafer.Xavier@epa.gov>; Fortune, Warren <Fortune.Warren@epa.gov>; R3 ESC-CLIENTS <R3_ESCCLIENTS@epa.gov>
Subject: CT9492/ SHILOH CHURCH ROAD REMOVAL/ R3 Lab DAS Case Number R36248/ RAS Case Number 50333

CLIENT’S LABORATORY ASSIGNMENT NOTIFICATION

Please send the *Six Drinking Water* TVOA Samples from the SHILOH CHURCH ROAD REMOVAL, DAS Case Number R36248, to the Region 3 Laboratory located here at the Environmental Science Center (address provided below):

USEPA Region III
Environmental Science Center
701 Mapes Road
Fort Meade, Maryland 20755-5350

PLEASE NOTE THE REGIONAL LABORATORY DOES NOT ACCEPT SAMPLE DELIVERIES ON FRIDAYS, SATURDAYS, OR SUNDAYS.

When notifying the Regional Laboratory of sample shipments, *each day samples are shipped*, please provide the following information:

- DAS Case Number R36248
- Number of Samples
- FedEx Tracking Number/s

Regional Laboratory sample shipment notification must also be provided by sending an email and Regional COCs, within 24 hours of sample shipment, to the following individuals:

Nonresponsive based on revised scope

Warren Fortune	fortune.warren@epa.gov	410-305-2974
Xavier Schafer	Schafer.xavier@epa.gov	410-305-2938

Nonresponsive based on revised scope

The Four Drinking Water Samples for Metals Analyses, on the attached Final Laboratory Assignment Report, will be analyzed under RAS Case Number 50333. A separate notification will be sent to the Analytical Request preparer, from SMO, with the CLP RAS Laboratory Assignment for those analyses. Please follow the directions for the notification of the sample shipment for the RAS-CLP case.

If you have any questions, please do not hesitate to contact me.

Nonresponsive based on revised scope